

3.2	10.5	12	14	16	18	20	22	24	m
→	2000	1680	1385	1170	1010	885	785	700	kg

3.2	10.85	12	14	16	18	20	22.17	m
→	2000	1760	1450	1225	1060	930	820	kg

3.2	11.2	12	14	16	18	20.34	m
→	2000	1835	1515	1285	1110	950	kg













3.2	11.60	12	14	16	18.51	m
→	2000	1915	1580	1340	1120	kg

3.2		12	14	16.68	m
→	2000	2000	1645	1330	kg

3.2		12.50	14.59	m
→	2000	2000	1650	kg

F1	In bedrijf - En service - In service - In Betrieb - En servicio	154 kN	•
	Buiten bedrijf - Hors service - Out of service - Ausser Betrieb - Fuera de servicio	118 kN	•

• 10 kN ≙ 1t

		m/min	kg	kW			
  9 kW		5	2000	 30 m/min	1.5	 220 - 380V / 50 Hz 19 kVA  35 kVA	
		22.5	2000	 0 = 1 rpm rpm U/min	2.2		
		45	1000	 25 m/min	2 x 1		
		5	2000	 - zonder ballast zonder transportset - sans lest, sans train - without ballast without towing set - ohne Ballast, ohne Transportachse - sin lastre m. tren de transporte	Ca. 9600 kg		

